

**Reflex DE 8, blue,  
pressure vessel, 10 bar  
Article-No.:7301000**



Reflex DE,  
WRAS approved bladder expansion vessel  
for mains drinking water supply systems  
(in Germany only for systems which are  
not subject to the requirements of the  
DIN 1988, e.g. fire extinguishing and  
process water systems).  
Approval according to EC Pressure  
Equipment Directive 2014/68/EU.

- bladder according to DIN EN 13831
- all vessel parts in contact with water  
are coated against corrosion
- durable external epoxy coated finish

vessel, vertical installation  
with profile steel construction feet

---

## **Merkmale**

Type: DE 8  
Nominal volume: 8 l  
Useful volume max.: 6 l  
perm. op. temperature: 70 °C  
perm. op. overpressure: 10 bar  
Gas in press. ex works: 4 bar  
Gas in press. set: ??? bar  
Diameter: 206 mm  
Height: 335 mm  
Net weight: 1,8 kg  
System connection: G 3/4  
Colour: blau



---

### **Reflex Winkelmann GmbH**

Gersteinstraße 19 • 59227 Ahlen, Germany • Postfach 2261 • 59210 Ahlen, Germany • Tel.: + 49 2382 7069-0 • Fax: + 49 2382 7069-588 • [www.reflex.de](http://www.reflex.de)  
Geschäftsführer: Norbert Hülsmann, Volker Mauel  
USt.-Ident.-Nr.: DE 178 726 058 • Steuer-Nr.: 304/5987/2077 • Handelsregister: Amtsgericht Münster • HRB 13297, Sitz: Ahlen

**Reflex DE 12, blue,  
pressure vessel, 10 bar  
Article-No.:7302000**



Reflex DE,  
WRAS approved bladder expansion vessel  
for mains drinking water supply systems  
(in Germany only for systems which are  
not subject to the requirements of the  
DIN 1988, e.g. fire extinguishing and  
process water systems).  
Approval according to EC Pressure  
Equipment Directive 2014/68/EU.

- bladder according to DIN EN 13831
- all vessel parts in contact with water  
are coated against corrosion
- durable external epoxy coated finish

vessel, vertical installation  
with profile steel construction feet

---

## **Merkmale**

Type: DE 12  
Nominal volume: 12 l  
Useful volume max.: 9 l  
perm. op. temperature: 70 °C  
perm. op. overpressure: 10 bar  
Gas in press. ex works: 4 bar  
Gas in press. set: ??? bar  
Diameter: 280 mm  
Height: 307 mm  
Net weight: 2,4 kg  
System connection: G 3/4  
Colour: blau



### **Reflex Winkelmann GmbH**

Gersteinstraße 19 • 59227 Ahlen, Germany • Postfach 2261 • 59210 Ahlen, Germany • Tel.: + 49 2382 7069-0 • Fax: + 49 2382 7069-588 • [www.reflex.de](http://www.reflex.de)  
Geschäftsführer: Norbert Hülsmann, Volker Mauel  
USt.-Ident.-Nr.: DE 178 726 058 • Steuer-Nr.: 304/5987/2077 • Handelsregister: Amtsgericht Münster • HRB 13297, Sitz: Ahlen

**Reflex DE 18, blue,  
pressure vessel, 10 bar  
Article-No.:7303000**



Reflex DE,  
WRAS approved bladder expansion vessel  
for mains drinking water supply systems  
(in Germany only for systems which are  
not subject to the requirements of the  
DIN 1988, e.g. fire extinguishing and  
process water systems).  
Approval according to EC Pressure  
Equipment Directive 2014/68/EU.

- bladder according to DIN EN 13831
- all vessel parts in contact with water  
are coated against corrosion
- durable external epoxy coated finish

vessel, vertical installation  
with profile steel construction feet

---

## **Merkmale**

Type: DE 18  
Nominal volume: 18 l  
Useful volume max.: 13,5 l  
perm. op. temperature: 70 °C  
perm. op. overpressure: 10 bar  
Gas in press. ex works: 4 bar  
Gas in press. set: ??? bar  
Diameter: 280 mm  
Height: 410 mm  
Net weight: 3,2 kg  
System connection: G 3/4  
Colour: blau



---

### **Reflex Winkelmann GmbH**

Gersteinstraße 19 • 59227 Ahlen, Germany • Postfach 2261 • 59210 Ahlen, Germany • Tel.: + 49 2382 7069-0 • Fax: + 49 2382 7069-588 • [www.reflex.de](http://www.reflex.de)  
Geschäftsführer: Norbert Hülsmann, Volker Mauel  
USt.-Ident-Nr.: DE 178 726 058 • Steuer-Nr.: 304/5987/2077 • Handelsregister: Amtsgericht Münster • HRB 13297, Sitz: Ahlen

**Reflex DE 25, blue,  
pressure vessel, 10 bar  
Article-No.:7304000**



Reflex DE,  
WRAS approved bladder expansion vessel  
for mains drinking water supply systems  
(in Germany only for systems which are  
not subject to the requirements of the  
DIN 1988, e.g. fire extinguishing and  
process water systems).  
Approval according to EC Pressure  
Equipment Directive 2014/68/EU.

- bladder according to DIN EN 13831
- all vessel parts in contact with water  
are coated against corrosion
- durable external epoxy coated finish

vessel, vertical installation  
with profile steel construction feet

---

## **Merkmale**

Type: DE 25  
Nominal volume: 25 l  
Useful volume max.: 18,7 l  
perm. op. temperature: 70 °C  
perm. op. overpressure: 10 bar  
Gas in press. ex works: 4 bar  
Gas in press. set: ??? bar  
Diameter: 280 mm  
Height: 520 mm  
Net weight: 3,8 kg  
System connection: G 3/4  
Colour: blau



### **Reflex Winkelmann GmbH**

Gersteinstraße 19 • 59227 Ahlen, Germany • Postfach 2261 • 59210 Ahlen, Germany • Tel.: + 49 2382 7069-0 • Fax: + 49 2382 7069-588 • [www.reflex.de](http://www.reflex.de)  
Geschäftsführer: Norbert Hülsmann, Volker Mauel  
USt.-Ident-Nr.: DE 178 726 058 • Steuer-Nr.: 304/5987/2077 • Handelsregister: Amtsgericht Münster • HRB 13297, Sitz: Ahlen